

Receiving Report

Date: 16-02-16

Batch No: 134240

Supplier: Bc industrial

Dart P/O: 31030

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☒ No ☐
 Receipt: Cash ☐ Cr ☒
 New Supplier Yes ☐ No ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☒
 QC18 Inspection ☐ N/A ☒
 Work Order ☐ N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

SP

Production/Admin:

Date _____

Received/Costing _____

Initial _____

Location _____



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31030

Purchase Order Date 1/15/2016

PO Print Date 1/15/2016

Page Number 1 of 1

Order From :

VC-BCI001

B C INDUSTRIAL
14 OLD FOREST
KIRKLAND, QUEBEC H9J 2Z8

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED
JAN 15 2016

Contact Name

Vendor Phone 514-585-8907

Ship To Contact

Ship To Phone

Ship Via: Purolator ground collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	MS22034-4 ✓	Quick Disconnect Adapter	1/29/2016 Yes 1/29/2016	FN	30.00 Each ✓	\$69.99	\$2,099.70

Line Total: \$2,099.70

2	71401-45	PROCUREMENT QUALITY CLAUSES	1/29/2016 No 1/29/2016		1.00 ✓	\$0.00	\$0.00
Procurement Quality Clauses A005 RIGHT OF ENTRY A026 CERTIFICATION OF MATERIAL CONFORMANCE A040 NOTIFICATION OF QUALITY ESCAPE A042 DART NOTIFICATION BY SUPPLIER A043 RETENTION OF QUALITY DOCUMENTS							

Line Total: \$0.00

PO Total: \$2,099.70

PO Instructions: Procurement Quality Clauses
A000 QUALITY CLAUSES NOT REQUIRED

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 1/15/2016

DATE Feb 11 2016

Packing Slip

PS160211DA

Livrer a/Ship to:

Dart Aerospace
1270 Aberdeen Street
Hawkesbury, Ont
K6A 1K7

PO 31030

	Description	Livrer/ship	B/O
1.	stud fittings MS22034-4 (32367)	30 ✓	0
2.			
3.			
4.			
5.			
6.			
7.			

226-02-16

BC Industrial..14 Old Forest..Kirkland..Quebec..H9J-2Z8
Phone 514-585-8907 bcpc1@videotron.ca

BC Industrial..... 14 Old Forest....Kirkland....Quebec....H9J-2Z8....Canada
Phone 514-585-8907 Email bcpc1@videotron.ca

FACTURE/INVOICE

INV160211DA

Feb 11 2016

Ref Notre PS# PS160211DA

Votre PO# 31308

Vendu a Dart Aerospace Ltd
1270 Aberdeen
Hawkesbury, Ont
K6A 1K7

Description	Quan.	Prix	Total
1. stud fitting MS22034-4 (32367)	30 ✓	69.99ea	2,099.70

2.

3.

4.

5.

5016-0216

2,099.70

HST: 272.96

2,372.66

#TPS/GST-142640622

#TVQ/PST-1021696907

Terms 2%10 Net 30

BC Industrial..... 14 Old Forest....Kirkland....Quebec....H9J-2Z8....Canada
Phone 514-585-8907 Email bcpc1@videotron.ca

Certificate of Compliance

Feb 11 2016

Dart Aerospace
1270 Aberdeen
Hawkesbury, Quebec
K6A-1K7


ATT: Chantal Lavoie

This is to confirm that the parts delivered on our PS 160211DA

Stud fitting MS22034-4
Kinedyne part # 32367

conforms to the specifications outlined on your purchase
order 31030


Thank you



Bryan Cameron

#TPS/GST-142640622
#TVQ/PST-1021696907

Terms 2%10 Net 30




0° Vertical Breaking Strength: 5,475 lbs./2485 kgs.

90° Pull Angle Breaking Strength: 2,300 lbs./1045 kgs.

MS22034-1

Weight: 0.23 lbs., 0.10 kgs.

12 Jaw Chair Leg Stud Fitting with 1/4" Hole x 0.88" 32336




0° Vertical Breaking Strength: 5,475 lbs./2485 kgs.

90° Pull Angle Breaking Strength: 2,300 lbs./1045 kgs.

MS22034-2

Weight: 0.23 lbs., 0.10 kgs.

12 Jaw Chair Leg Stud Fitting with 3/8" Hole 32367



0° Vertical Breaking Strength: 5,475 lbs./2485 kgs.

90° Pull Angle Breaking Strength: 2,300 lbs./1045 kgs.

MS22034-4

Weight: 0.23 lbs., 0.10 kgs.

MS22034-4
32367

Download The Kinedyne Cargo Control
or Steadymate Catalog

W25503-H
78856